ELSEVIER

Aquaculture 202 (2001) 389–391

Aquaculture

www.elsevier.com/locate/aqua-online

# Contents of *Aquaculture*, Volume 202

VOL. 202 NOS. 1–2 19 OCTOBER 2001

**Review**

Penaeid shrimp broodstock nutrition: an updated review on research and development
R. Wouters (Guayaquil, Ecuador), P. Lavens (Gent, Belgium), J. Nieto (Guayaquil, Ecuador) and P. Sorgeloos (Gent, Belgium) . . . . . 1

**Diseases, Parasites and Predators**

Viral and bacterial diseases of marine fish and shellfish in Japanese hatcheries
K. Muroga (Higashihiroshima, Japan) . . . . . 23

**Genetics and Breeding**

Effect of inbreeding on salinity tolerance in the guppy (*Poecilia reticulata*)
T. Shikano, T. Chiyokubo and N. Taniguchi (Sendai, Japan) . . . . . 45

**Husbandry and Management**

An experimental study on closed-polyculture of penaeid shrimp with tilapia and constricted tagelus
X. Tian, D. Li, S. Dong, X. Yan, Z. Qi, G. Liu and J. Lu (Qingdao, People's Republic of China) . . 57

Impact and residence time of oxytetracycline in the sea urchin, *Psammechinus miliaris*, a potential aquaculture species
D.A. Campbell (Wales, Scotland, UK), P. Pantazis and M.S. Kelly (Scotland, UK). . . . . 73

**Nutrition**

Lipid distribution within Atlantic salmon (*Salmo salar*) fillets
P. Katikou, S.I. Hughes and D.H.F. Robb (Bristol, UK) . . . . . 89

Dietary palm oil level affects growth performance, protein retention and tissue vitamin E concentration of African catfish, *Clarias gariepinus*
P.-K. Lim, P.-L. Boey and W.-K. Ng (Penang, Malaysia) . . . . . 101

Evaluation of different markers to determine apparent nutrient digestibility coefficients of feed ingredients for South African abalone (*Haliotis midae* L.)
J. Sales and P.J. Britz (Grahamstown, South Africa) . . . . . 113

**Physiology and Endocrinology**

Ontogeny of ACTH and MSH cells in Japanese flounder (*Paralichthys olivaceus*) in relation to albinism
A. Estevez (Tarragona, Spain; Kyoto, Japan), T. Kaneko (Tokyo, Japan), T. Seikai (Fukui, Japan), R.M. Dores (Denver, CO, USA), M. Tagawa and M. Tanaka (Tarragona, Spain) . . . . . 131

Effect of dietary phosphorus and vitamin $D_3$ on phosphorus levels in effluent from the experimental culture of rainbow trout (*Oncorhynchus mykiss*)
R.M. Coloso (Newark, NJ, USA; Tigbauan, Philippines), S.P. Basantes (Newark, NJ, USA), K. King, M.A. Hendrix, J.W. Fletcher (Lamar, PA, USA), P. Weis and R.P. Ferraris (Newark, NJ, USA) . . . . . 145

Physiological effects of methyl farnesoate and pyriproxyfen on wintering female crayfish *Cherax quadricarinatus*
U. Abdu (Beer-Sheva, Israel), A. Barki, I. Karplus, S. Barel (Bet-Dagan, Israel), P. Takac (Bratislava, Slovak Republic), G. Yehezkel (Beer-Sheva, Israel), H. Laufer (Storrs, CT, USA) and A. Sagi (Beer-Sheva, Israel) . . . . . 163

**Short Communication**
Steroid hormone enrichment of *Artemia* nauplii
A.B. Stewart (Morgantown, WV, USA), A.V. Spicer (Knoxville, TN, USA), E.K. Inskeep and R.A. Dailey (Morgantown, WV, USA) . . . . . 177

**VOL. 202 NOS. 3–4** **1 NOVEMBER 2001**

## Special Issue: Bass SPP culture: basic and applied aspects

Editorial . . . . . 185

**Reproduction**
Genetic, hormonal and environmental approaches for the control of reproduction in the European sea bass (*Dicentrarchus labrax* L.)
S. Zanuy, M. Carrillo, A. Felip, L. Rodríguez, M. Blázquez, J. Ramos and F. Piferrer (Castellón, Spain) . . . . . 187
Endocrine regulation and artificial induction of oocyte maturation and spermiation in basses of the genus *Morone*
C.C. Mylonas (Iraklion, Greece) and Y. Zohar (Baltimore, MD, USA) . . . . . 205
Spawning induction of individual European sea bass females (*Dicentrarchus labrax*) using different GnRHa-delivery systems
M.A. Forniés, E. Mañanós, M. Carrillo, A. Rocha (Castellon, Spain), S. Laureau (Gravelines, France), C.C. Mylonas (Iraklion, Greece), Y. Zohar (Baltimore, MD, USA) and S. Zanuy (Castellon, Spain) . . . . . 221
Changes in plasma levels of reproductive hormones during first sexual maturation in European male sea bass (*Dicentrarchus labrax* L.) under artificial day lengths
L. Rodríguez, I. Begtashi, S. Zanuy, M. Shaw and M. Carrillo (Castellón, Spain) . . . . . 235
Changes of lysosomal enzyme activities in sea bass (*Dicentrarchus labrax*) eggs and developing embryos
O. Carnevali (Ancona, Italy), G. Mosconi, A. Cambi, S. Ridolfi (Camerino, Italy), S. Zanuy (Castellòn, Spain) and A.M. Polzonetti-Magni (Camerino, Italy) . . . . . 249
Inactivator media of sea bass (*Dicentrarchus labrax* L.) spermatozoa motility
G. Sansone (Napoli, Portici, Italy), A. Fabbrocini, A. Zupa, S.L. Lavadera, S. Rispoli (Napoli, Italy) and D. Matassino (Portici, Benevento, Italy) . . . . . 257

**Feeding and Nutrition**
Partial replacement of fishmeal by brewers yeast (*Saccaromyces cerevisae*) in diets for sea bass (*Dicentrarchus labrax*) juveniles
A. Oliva-Teles and P. Gonçalves (Porto, Portugal) . . . . . 269
Optimizing the levels of feeding stimulants for use in high-fish meal and plant feedstuff-based diets for striped bass, *Morone saxatilis*
E. Papatryphon and J.H. Soares Jr. (College Park, MD, USA) . . . . . 279
Optimization of feeding regimes for European sea bass *Dicentrarchus labrax*: a factorial approach
I. Lupatsch, G.Wm. Kissil (Eilat, Israel) and D. Sklan (Rehovot, Israel) . . . . . 289
Quality outline of European sea bass (*Dicentrarchus labrax*) reared in Italy: shelf life, edible yield, nutritional and dietetic traits
B.M. Poli, G. Parisi, G. Zampacavallo, M. Mecatti, P. Lupi, M. Gualtieri and O. Franci (Florence, Italy) . . . . . 303

Effects of light intensity on animal husbandry and digestive enzyme activities in sea bass *Dicentrachus labrax* post-larvae
A. Cuvier-Péres (Namur, Belgium), S. Jourdan, P. Fontaine (Nancy, France) and P. Kestemont (Namur, Belgium) . . . . . 317

**Genetics and Growth**

Setting up a strain-testing design for the seabass, *Dicentrarchus labrax*: a simulation study
M. Vandeputte, M. Dupont-Nivet (Jouy-en Josas, France), B. Chatain (Palavas les Flots, France) and B. Chevassus (Jouy-en Josas, France) . . . . . 329
Domestication and strain evaluation of striped bass (*Morone saxatilis*)
L.C. Woods III (College Park, MD, USA) . . . . . 343
Performance comparison of geographic strains of white bass (*Morone chrysops*) to produce sunshine bass
C.C. Kohler, R.J. Sheehan, J.J. Myers, J.B. Rudacille, M.L. Allyn and A.V. Suresh (Carbondale, IL, USA) . . . . . 351
Temperature effects on muscle growth in two populations (Atlantic and Mediterranean) of sea bass, *Dicentrarchus labrax* L.
M.D. Ayala, O. López-Albors, F. Gil (Murcia, Spain), A. García-Alcázar, E. Abellán (Pto. de Mazarrón, Spain), J.A. Alarcón, M.C. Álvarez (Málaga, Spain), G. Ramírez-Zarzosa and F. Moreno (Murcia, Spain) . . . . . 359
Sexual growth dimorphism in sea bass *Dicentrarchus labrax*
E. Saillant (Palavas-les-Flots, Gravelines, France), A. Fostier (Rennes, France), B. Menu (Palavas-les-Flots, France), P. Haffray (Rennes, France) and B. Chatain (Palavas-les-Flots, France) . . . . . 371

**Contents of *Aquaculture*, Volume 202** . . . . . 389